

# MasterEmaco 2525 PART B

SDS Number: 000000264787	Date of last issue: - Date of first issue: 15.09.2020
IDENTIFICATION	
: MasterEmaco	2525 PART B
: 0000000005	0297698
's details	
: Master Builde Sdn. Bhd	ers Solutions Malaysia
	eluli 2, Kawasan Perindustrian Bukit Raja , Selangor, Malaysia
: +6033082100	0
: +1-813-248-0	585
: +6033344533	30
	000000264787 IDENTIFICATION : MasterEmaco : 00000000005 's details : Master Builde Sdn. Bhd : No 8, Jalan K 41050, Klang

#### Recommended use of the chemical and restrictions on use

## 2. HAZARDS IDENTIFICATION

<b>GHS Classification</b>	
---------------------------	--

Acute toxicity (Oral)	:	4
Acute toxicity (Dermal)	:	4
Skin irritation	:	1B
Serious eye damage	:	Category 1
Skin sensitization	:	Category 1
Hazardous to the aquatic environment - acute hazard	:	3
Hazardous to the aquatic environment - chronic hazard	:	3
GHS label elements Hazard pictograms	:	
Signal Word	:	Danger
Hazard Statements	:	H312 Harmful in contact with skin. H332 Harmful if inhaled. H302 Harmful if swallowed.



Version 1.0	Revision Date: 15.09.2020	SDS Number: 000000264787	Date of last issue: - Date of first issue: 15.09.2020
		H314 Causes H402 Harmful	se an allergic skin reaction. severe skin burns and eye damage. to aquatic life. to aquatic life with long lasting effects.
Preca	autionary Statements	tion/ face prote P271 Use only P260 Do not b P261 Avoid br P273 Avoid re P272 Contami the workplace. P270 Do not e	routdoors or in a well-ventilated area. reathe dust or mist. eathing mist. lease to the environment. nated work clothing should not be allowed out of
		P305 + P351 + for several mir easy to do. Co P304 + P340 I keep comforta P303 + P361 + Iy all contamin P301 + P330 + induce vomitin	F INHALED: Remove person to fresh air and ble for breathing. - P353 IF ON SKIN (or hair): Take off immediate- ated clothing. Rinse skin with water/ shower. - P331 IF SWALLOWED: Rinse mouth. Do NOT g. Take off immediately all contaminated clothing
		<b>Storage:</b> P405 Store loc	ked up.
		<b>Disposal:</b> P501 Dispose waste collectio	of contents/container to appropriate hazardous n point.

#### Other hazards which do not result in classification

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

: polymeric amine aliphatic modified

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
salicylic acid	69-72-7	>= 7 -< 10
Benzyl alcohol	100-51-6	>= 20 -< 25
3-aminomethyl-3,5,5-trimethylcyclohexylamine	2855-13-2	>= 50 -< 75



## MasterEmaco 2525 PART B

Version 1.0	Revision Date: 15.09.2020		0S Number: 0000264787	Date of last issue: - Date of first issue: 15.09.2020
4. FIRST	AID MEASURES			
Gene	eral advice	:		el should pay attention to their own safety. ove contaminated clothing.
lf inh	aled	:		m, remove to fresh air. sist, seek medical advice.
In ca	ise of skin contact	:	After contact with and soap. Under no circum	n skin, wash immediately with plenty of water stances should organic solvent be used. ops, seek medical attention.
	allowed	:	Wash affected e water with eyelid Immediately rins seek medical atte	yes for at least 15 minutes under running Is held open, consult an eye specialist. e mouth and then drink 200-300 ml of water,
	t important symptoms effects, both acute and yed	:	fects may be incl	additional information on symptoms and ef- luded in the GHS labeling phrases available in the Toxicological assessments available in
	s to physician	:	Treat symptomation	tically.
	able extinguishing media	:	Foam Water spray Dry powder Carbon dioxide (	CO2)
Unsı medi	uitable extinguishing ia	:	water jet	
Haza ucts	ardous combustion prod-	:	harmful vapours nitrogen oxides fumes/smoke carbon black	
Spec ods	cific extinguishing meth-	:	the fire condition If exposed to fire Collect contamin allow to reach se Contaminated ex	sk is governed by the burning substance and s. e, keep containers cool by spraying with water lated extinguishing water separately, do not ewage or effluent systems. ktinguishing water must be disposed of in official regulations.
	cial protective equipment re-fighters	:		ained breathing apparatus.

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec-	:	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
tive equipment and emer-		Wear eye/face protection.
gency procedures		Use personal protective clothing.
		Handle in accordance with good building materials hygiene and safety practice.



Version 1.0	Revision Date: 15.09.2020		DS Number: 0000264787	Date of last issue: - Date of first issue: 15.09.2020
Env	ironmental precautions	:		ated water/firefighting water. into drains/surface waters/groundwater.
	hods and materials for tainment and cleaning up	:		ble appliance and dispose of. bed material in accordance with regulations.
7. HAND	LING AND STORAGE			
	ice on protection against and explosion	:	The product is ne nor does it promo	ither self-ignitable, nor an explosion hazard, te fires.
Fur	ice on safe handling ther information on stor- conditions	:	Avoid skin contact Ensure adequate No special measu correctly. Keep only in the o	
Mat	erials to avoid	:	Protect from direct Observe VCI stor	t sunlight.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipm	ent	
Respiratory protection	:	Wear respiratory protection if ventilation is inadequate. Combination filter for gases/vapours of organic, inorganic, acid inorganic and alkaline compounds (e.g. EN 14387 Type ABEK).
Hand protection		
Remarks	:	impermeable gloves Synthetic rubber gloves Manufacturer's directions for use should be observed because of great diversity of types.
Eye protection	:	Safety glasses with side-shields (frame goggles) (e.g. EN 166)
Skin and body protection	:	Body protection must be chosen based on level of activity and exposure.
Protective measures	:	Do not inhale dust/fumes/aerosols. Avoid contact with the skin, eyes and clothing. Avoid exposure - obtain special instructions before use. Handle in accordance with good building materials hygiene and safety practice. Wearing of closed work clothing is recommended.
Hygiene measures	:	When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. At the end of the shift the skin should be cleaned and skin- care agents applied. Gloves must be inspected regularly and prior to each use.



# MasterEmaco 2525 PART B

Version 1.0	Revision Date: 15.09.2020		S Number: 0000264787	Date of last issue: - Date of first issue: 15.09.2020
			Replace if neces When using do n	sary (e.g. pinhole leaks). ot eat or drink.
9. PHYSIC	CAL AND CHEMICAL P	ROP	ERTIES	
Appe	arance	:	liquid	
Color		:	yellowish	
Odor		:	ammonia-like	
Odor	Threshold	:	No data availabl	e
pН		:	11	
Boilin	g point	:	>= 200 °C	
Flash	point	:	> 150 °C	
Flam	mability (solid, gas)	:	not self-igniting	
Dens	ity	:	0,98 g/cm3 (20 not applicable	°C)
	ility(ies) ater solubility	:	emulsifiable (20	) °C)
	ion coefficient: n-	:	not applicable fo	pr mixtures
	ol/water gnition temperature	:	No data availabl	e
Deco	mposition temperature	:	No decomposition scribed/indicated	on if stored and handled as pre- d.
Explo	sive properties	:	Not explosive Not explosive	
Oxidi	zing properties	:	not fire-propaga	ting
Metal	corrosion rate	:	No data availabl	e.

## 10. STABILITY AND REACTIVITY

Reactivity	:	No hazardous reactions if stored and handled as pre- scribed/indicated.
Chemical stability	:	The product is stable if stored and handled as pre- scribed/indicated.
Possibility of hazardous reac- tions	:	The product is stable if stored and handled as pre- scribed/indicated.
Conditions to avoid Incompatible materials	:	See SDS section 7 - Handling and storage. Strong acids



/ersion I.0	Revision Date: 15.09.2020		S Number: )000264787	Date of last issue: - Date of first issue: 15.09.2020	
Strong bases         Strong oxidizing agents         Strong reducing agents         Hazardous decomposition       : No hazardous decomposition products if stored and handl         products       as prescribed/indicated.					
1. TOXIC	OLOGICAL INFORMA		I		
Acut	e toxicity				
Harm	ful if swallowed, in cont	tact w	ith skin or if inh	aled.	
	corrosion/irritation				
	es severe skin burns ar	-	-		
	ous eye damage/eye in es serious eye damage		on		
	iratory or skin sensiti		n		
-	sensitization	2010	1		
	cause an allergic skin re	eactio	n.		
•	iratory sensitization				
•	lassified based on avail	lable i	nformation.		
	n cell mutagenicity				
	lassified based on avail	lable i	nformation.		
	i <b>nogenicity</b> lassified based on avail	labla i	nformation		
•	Reproductive toxicity Not classified based on available information.				
STOT-single exposure					
Not c	Not classified based on available information.				
	STOT-repeated exposure				
	Not classified based on available information.				
-	Aspiration toxicity Not classified based on available information.				
Furth	er information				
Prod	uct:				
Rema		:	The product ha	are not known or expected under normal use. as not been tested. The statements on toxicolo derived from the properties of the individual	



# MasterEmaco 2525 PART B

ersion .0	Revision Date: 15.09.2020		0S Number: 0000264787	Date of last issue: - Date of first issue: 15.09.2020
2. ECOL	OGICAL INFORMATION	1		
Ecoto	oxicity			
Prod	-			
	oxicology Assessment e aquatic toxicity	:	Harmful to aquati	c life.
Chror	nic aquatic toxicity	:	Harmful to aquati	c life with long lasting effects.
Persi	stence and degradabili	ty		
<u>Prod</u> Biode	<u>uct:</u> egradability	:	ingredients, the p	into consideration the properties of several roduct is estimated not to be readily biode- ng to OECD classification.
Bioad	ccumulative potential			
<u>Prod</u> Bioac	<u>uct:</u> ccumulation	:	Remarks: Signific expected.	ant accumulation in organisms is not to be
<u>Com</u>	ponents:			
Partit	<b>ylic acid:</b> ion coefficient: n- ol/water	:	log Pow: approx. Method: Partition GLP: no	2,25 (25 °C) coefficient (n-octanol/water), HPLC method
3-am	inomethyl-3,5,5-trimeth	ylc	yclohexylamine:	
Partit	ion coefficient: n- ol/water	:	log Pow: 0,99 (23 pH: 6,3 Method: Partition GLP: no	
Mobi	lity in soil			
	<b>uct:</b> bution among environ- al compartments	:		ng exposure to soil, adsorption to solid soil ble, therefore contamination of groundwater
Othe	r adverse effects			
	<b>uct:</b> Its of PBT and vPvB ssment	:	the PBT (persiste	oduct does not contain a substance fulfilling nt/bioaccumulative/toxic) criteria or the vPvE ery bioaccumulative) criteria.



Version 1.0	Revision Date: 15.09.2020	SDS Number: 000000264787	Date of last issue: - Date of first issue: 15.09.2020
Ozon	e-Depletion Potential		product does not contain substances that are tion (EC) 1005/2009 on substances that de- layer.
Additional ecological infor- mation		The product sho open waters. Do not release The product has	for aquatic organisms. build not be allowed to reach either ground or untreated into natural waters. s not been tested. The statements on ecotoxi- en derived from the properties of the individual

## **13. DISPOSAL CONSIDERATIONS**

## **Disposal methods**

Waste from residues :	Observe national and local legal requirements. The waste code in accordance with the European waste cata- log (EWC) must be specified in cooperation with disposal agency/manufacturer/authorities. Residues should be disposed of in the same manner as the substance/product.
Contaminated packaging :	Contaminated packaging should be emptied as far as possi- ble; then it can be passed on for recycling after being thor- oughly cleaned. Packs that cannot be cleaned should be disposed of in the same manner as the contents.

## 14. TRANSPORT INFORMATION

## International Regulations

<b>UNRTDG</b> UN number Proper shipping name Class Packing group Labels	:	UN 2289 ISOPHORONEDIAMINE 8 III 8
IATA-DGR UN/ID No. Proper shipping name Class Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passen- ger aircraft)		UN 2289 ISOPHORONEDIAMINE 8 III Corrosive 856 852
<b>IMDG-Code</b> UN number Proper shipping name Class Packing group	:	UN 2289 ISOPHORONEDIAMINE 8 III



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	15.09.2020	000000264787	Date of first issue: 15.09.2020
	ls Code ne pollutant	: 8 : F-A, S-B : no	

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 15. REGULATORY INFORMATION

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

# Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subjected to the SDS, labelling, PEL and other requirements in the Act/Regulations.

#### **16. OTHER INFORMATION**

Date format

: dd.mm.yyyy

#### Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No



## MasterEmaco 2525 PART B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	15.09.2020	00000264787	Date of first issue: 15.09.2020

1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

SG / EN